



Certificate of Compliance
Argos Florida Super Masonry Cement Type M

January 4, 2024

To Whom It May Concern:

This is to certify that each bag of Argos Florida Super Masonry Type M Masonry Cement as manufactured by Argos at its Newberry, FL plant, fully complies with ASTM specification C91.

Furthermore, when Argos Type M masonry cement is mixed at the rate of 1 cubic foot (1 bag) masonry cement to 3 cubic feet of masons sand complying with ASTM C144 and clean water, the resultant mortar will exceed the property requirements of ASTM C270, Table 2, provided that all the stated ingredients are mixed and tested in full accordance with all the applicable provisions of ASTM C270. By so doing the resultant mortar will exceed the property requirements of ASTM C270, Table 2, provided that all the stated ingredients are mixed and tested in full accordance with all of the applicable provisions of ASTM C270.

Argos Florida Super Masonry Type M Masonry Cement when mixed with 2-1/2 parts of masonry sand meeting ASTM C144 "Standard Specification for Masonry Sand", will make a mortar that complies with the requirements for a job site mortar meeting the requirements of the Florida Building Code's Roofing Application Standard (RAS) No.113, Sections 2.2 and 2.3.

Limited Warranty

Argos warrants that Argos Cements meet applicable ASTM requirements. Argos makes no other warranty, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY of merchantability or fitness for a particular purpose, ALL OF WHICH ARE EXPRESSLY DISCLAIMED. Having no control over their use, Argos will not guarantee finished work in which these products are used.

Sincerely,

A handwritten signature in black ink that reads "Bill Kjarlien". The signature is written in a cursive, slightly slanted style.

Bill Kjarlien
Masonry Technical Service Manager
Argos Cement LLC
bkjarlien@argos-us.com
(404) 307-5992